



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/566,367	10/30/2006	Kiminobu Hirata	050203-0140	5551
31824 7590 12/08/2008 MCDERMOTT WILL & EMERY LLP 18191 VON KARMAN AVE. SUITE 500 IRVINE, CA 92612-7108				
EXAMINER				
TRAN, DIEM T				
ART UNIT		PAPER NUMBER		
3748				
MAIL DATE		DELIVERY MODE		
12/08/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/566,367

Applicant(s)

HIRATA, KIMINOBU

Examiner

DIEM TRAN

Art Unit

3748

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 September 2008.
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 2 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1, 2 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO/CDC)
4) ☐ Interview Summary (PTO-413)
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____
Paper No(s)/Mail Date _____

DETAILED ACTION

This office action is in response to an amendment filed on 9/3/08. In the amendment, claims 1, 2 have been amended and claims 3-5 have been canceled. Overall, claims 1, 2 are pending in this application.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yajima (JP 2002-332825) in view of Mathes et al. (US patent 5,974,789).

Yajima discloses an exhaust gas purification apparatus of an engine comprising: a nitrogen oxide reduction catalyst (16) arranged in an engine exhaust gas passage to reduce and purify nitrogen oxide in exhaust gas using a liquid reducing agent; a nozzle (18) having an injection hole that opens into the exhaust gas passage, and positioned on an exhaust gas upstream side of said nitrogen oxide reduction catalyst (16) (see Figure 1, pages 3, 4, par. [16]); an operating state detecting device detects an engine operating state (see page 4, par. [19]); a reducing agent injection-supply device that injection supplies the liquid reducing agent into the exhaust gas passage from said nozzle injection hole during operation of the engine according to an injection flow rate of the liquid reducing agent, based on the engine operating state detected by said operating state detecting device (see page 5, par. [21]), and a high pressure air supply

device (024) that supplies high pressure air into said nozzle during operation of the engine when the injection flow rate of said liquid reducing agent from said reducing agent injection supply device becomes zero (see page 3, par. [12], page 7, par. [29]); however, fails to disclose a pressure-reducing device switchable to either let compressed air pass through directly, or to reduce the pressure to a predetermined pressure as it passes through, wherein said reducing agent injection supply device uses the reduced compressed air. Mathes teaches that a pressure-reducing device (50) is switchable to either let compressed air pass through directly, or to reduce the pressure to a predetermined pressure as it passes through, and a reducing agent injection supply device uses the compressed air that has been reduced in pressure to the predetermined pressure (see Figure 3, col. 5, lines 43-60).

It would have been obvious for one having ordinary skill in the art, to have utilized the teaching of Mathes in the Yajima system, since the use thereof would have contributed to stable operation of the spraying device.

Regarding claim 2, Mathes further teaches that said reducing agent injection-supply device reduces a pressure of compressed air to a predetermined pressure, and mixes the compressed air whose pressure is reduced with the liquid reducing agent to transform the liquid reducing agent into an atomized state, and then injection supplies the atomized liquid reducing agent from said nozzle injection hole (22) into the exhaust gas passage (see Figure 3).

Response to Arguments

Applicant's arguments filed on 9/3/08 have been fully considered but they are moot in view of a new ground(s) of rejection.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a). A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Conclusion

Any inquiry concerning this communication from the examiner should be directed to Examiner Diem Tran whose telephone number is (571) 272-4866. The examiner can normally be reached on Monday -Friday from 8:00 a.m.- 5:30p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas E. Denion, can be reached on (571) 272-4859. The fax number for this group is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about

Art Unit: 3748

the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 800-786-9199 (toll-free).

/Diem Tran/
Patent Examiner

/Thomas E. Denion/
Supervisory Patent Examiner, Art Unit 3748